EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S166	3	"20030220912" and (result\$1 or categor\$7)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:35
S165	2	"20040002962" and (result\$1 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:33
S164	1	"20040015483" and (result\$1 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:21
S163	1	"6636848".pn. and (result\$1 or categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:17
S162	1	"6636848".pn. and result\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:16
S161	1	"20040019588" and (result\$1 with categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:02
S160	1	"20030220913" and (result\$1 with categor\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:01
S159	2	"20030220913" and result\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 13:01
S158	1	"20030220913" and (categor \$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:50
S157	1	"20040024752" and (categor \$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:48

S156	1	"20040024752" and (categori \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:48
S155	1	"20040034625" and (categori \$6)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:47
S154	224	S153 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:44
S153	843	(search\$3 with (result\$1 with categor\$7)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:44
S152	1038	(search\$3 same (result\$1 with categor\$7)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:43
S151	1038	(search\$3 same (result\$1 with categor\$7)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:43
S150	2257	(search\$3 same result\$1 same categor\$7) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:43
S149	1	10/814069	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/15 12:28
S148	2	"6341277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 10:40
S147	2	"6775681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 10:39
S146	2	"7054860".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 08:12

S145	4	"7054860"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 08:12
S144	3	"20020120456"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 14:59
S143	2	"5933823".pn. and ((result\$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 14:12
S142	2	"6708162".pn. and ((result\$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:48
S141	2	"7277881".pn. and ((result\$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:38
S140	2	"7054860".pn. and ((result\$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:10
S139	2	"20030163453" and ((result \$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 13:05
S138	2	"20030212669" and ((result \$1 with previous\$2) or stor\$3 or matching\$3 or part\$1 or portion\$1 or search\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 12:59
S137	124	((stor\$3 with result\$1 with search\$3) same (compar\$3 or valida\$4 or match\$3 or accuracy or previous\$2) same (portion\$1 or part\$1)) and @rlad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 11:29
S136	130	((stor\$3 with result\$1 with search\$3) same (compar\$3 or valida\$4 or match\$3 or accuracy or previous\$2) same (portion\$1 or part\$1 or partial\$2)) and @rlad~"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2008/06/19 11:26

S135	4	"814069".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:41
S134	721	((stor\$3 with result\$1 with search\$3) same (compar\$3 or valida\$4 or match\$3 or accuracy or previous\$2)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:13
S133	2994	(stor\$3 same result\$1 same search\$3 same (compar\$3 or valida\$4 or match\$3 or accuracy or previous\$2)) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:13
S132	3	"20050091211" and (stor\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:04
S131	1	"20050027745" and (searched or stored or (determin\$3 with search\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 11:52
S130	241	S129 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 10:00
S129	893	(determin\$4 near6 (search near5 result\$1)) and @prad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 10:00
S128	5	S127 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 09:59
S127	55	(result\$1 near5 valid near5 (portion\$1 or percent\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 09:59
S126	4	"7006588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:08
S125	5	7006588"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:08

S124	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:04
S123	2	"20060120499"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:34
S122	8	((stor\$3 or cach\$3) near5 search\$3 near5 result\$1 near6 valid) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:34
S121	13	(result\$1 near5 valid near5 (percent\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:22
S120	52	(result\$1 near5 valid near5 (portion\$1 or percent\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:20
S119	39	(result\$1 near5 valid near5 portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:19
S118	941399	(result\$1 near5 valid near\$5 portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02
S117	11	(((search\$3 near5 result\$1) near5 valid) same portion \$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:15
S115	8	(((stor\$3 near5 result\$1) near5 valid) with portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 11:10
S116	58	(((result\$1) near5 valid) with portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02
S114	6	(((search\$3 near5 result\$1) near5 valid) with portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:59

S113	0	(((search\$3 near5 result\$1) near5 valid) near5 portion \$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:58
S112	866780	(((search\$3 near5 result\$1) near5 valid) portion\$1) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:58
S111	104	((search\$3 near5 result\$1) near5 valid) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:57
S110	17	((((part\$1 or percentage\$3 or portion\$1) near3 (result\$1 or output)) near5 (valid or correct)) with (stor\$3 or cach \$3 or receiv\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:57
S109	42	((((part\$1 or percentage\$3 or portion\$1) near3 (result\$1 or output)) near5 (valid or correct or right)) with (stor\$3 or cach\$3 or receiv\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:52
S101	60	((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:45
S108	15	\$67 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S107	1	\$67 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S106	9	S66 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S104	18	S65 and 707/3.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2007/10/02 10:41

S103	1	S65 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:41
S105	0	S66 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:40
S65	389	((offline or off?line) near3 search\$3)and @rlad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:40
S102	14	((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and @prad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S100	377	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S99	407	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S51	109	((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and @ad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S46	838	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receix\$3 or obtain\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:21
S98	237	((determin\$4 near6 (search\$3 or query\$3)) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S97	94	((determin\$4 near6 (search\$3 or query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20

S96	161	((determin\$4 near6 (search\$3 or query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S50	294	((determin\$4 near6 (search\$3 or query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S48	463	((determin\$4 near6 (search\$3 or query\$3)) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:20
S95	19	(determin\$4 with (search near5 result\$1) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3 or execut\$3)) and @prad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S94	14	(determin\$4 with (search near5 result\$1) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3 or execut\$3)) and @rlad<"20020901"	US PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S93	83	((determin\$4 near6 (search\$3 or query\$3)) near6 (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S92	149	((determin\$4 near6 (search\$3 or query\$3)) near6 (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S91	442	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3 or execut\$3)) and @prad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S90	460	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3 or execut\$3)) and @rlad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S49	260	((determin\$4 near6 (search\$3 or query\$3)) near6 (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19

S45	988	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3 or execut\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S44	33	(determin\$4 with (search near5 result\$1) with (previous \$2 or before or last) with (enter\$3 or receiv\$3 or obtain \$3 or execut\$3)) and @ad<"20020901"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:19
S89	860	(determin\$4 near6 (search near5 result\$1)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S88	785	(determin\$4 near6 (search near5 result\$1)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S87	1305	(determin\$4 with (search near5 result\$1)) and @prad< "20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S86	1124	(determin\$4 with (search near5 result\$1)) and @rlad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S43	1567	(determin\$4 near6 (search near5 result\$1)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S42	2247	(determin\$4 with (search near5 result\$1)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:18
S85	176	(determin\$4 near6 (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3)) and @prad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S84	237	(determin\$4 near6 (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receiv\$3 or obtain\$3)) and @rlade."20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2007/10/02 10:17

S83	783	(determin\$3 with (off?line or offline)) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S47	463	(determin\$4 near6 (search\$3 or query\$3) with (previous\$2 or before or last) with (enter \$3 or receix\$3 or obtain\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S34	2677	(determin\$3 with (off?line or offline)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:17
S81	1321	(determin\$3 with (off?line or offline)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S80	102	(determin\$3 near5 (expir\$5 near5 data)) and @prad< "20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S79	224	(determin\$3 near5 (expir\$5 near5 data)) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
\$29	351	(determin\$3 near5 (expir\$5 near5 data)) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:16
S78	1681	(expir\$5 near5 data) and @prad< "20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S77	2317	(expir\$5 near5 data) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S76	2792	(expir\$5 near5 (data or information)) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S75	4311	(expir\$5 near5 (data or information)) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15

S27	4273	(expir\$5 near5 data) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S26	7305	(expir\$5 near5 (data or information)) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:15
S74	4	((previous\$2 near3 quer\$3) near5 entered) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S73	39	((previous\$2 near3 quer\$3) near5 entered) and @rlad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S72	4	((previous\$2 near3 quer\$3) near5 entered) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S71	39	((previous\$2 near3 quer\$3) near5 entered) and @rlad< "20030801"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S70	336	(previous\$2 near3 quer\$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
\$21	56	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S16	56	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S15	2016	(previous\$2 near3 quer\$3) and @ad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:14
S69	1085	(previous\$2 near3 quer\$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13

S68	259	((offline or off?line) near3 search\$3)and @prad< "20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S67	317	((offline or off?line) near3 search\$3)and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S66	288	((offline or off?line) near3 search\$3)and @prad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S5	379	((offline or off?line) near3 search\$3)and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S2	586	((offline or off?line) near3 search\$3)and @ad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 10:13
S64	2	"20060010150"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:35
S63	3	"20040267813"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:35
S62	3	"20040001104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:30
S61	2	"7082428".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:27
S60	2	"20030046311"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:25
S59	2	"20030220913"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:20

83	498	S2 and (cach\$3 or stor\$3 or sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 13:18
S54	0	"20030220913" and ((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/03/02 13:11
S58	1	"20030220913" and expand \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:49
S57	2	"20030220913" and (document\$1 or article\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:49
S56	2	"20030220913" and (determin \$4 or query\$3 or enter\$3 or receiv\$3 or obtain\$3 or previous\$2 or before or last or portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:41
S55	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:55
S53	4940956	"2003" 0220913and ((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previous\$2 or before or last)) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/03/02 10:55
S52	2	"20030191828" and ((determin\$4 near6 (query \$3)) near6 (enter\$3 or receiv \$3 or obtain\$3) with (previou\$2 or before or last)) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:54
S41	1	"20040001104" and determin \$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:36

S40	1	"20040001104" and ((previously with quer\$3) and (result\$1 or set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:36
S39	5376	"20040001104"and ((previously with quer\$3) and (result\$1 or set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:56
S38	2	"20040001104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:56
S37	4	"814069".ap.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:55
S36	11	S35 and ((off?line or offline) with accessible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S35	131	S34 and "707"/.cds.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S33	1	"20060010150" and user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:13
S32	0	"20060010150" and display\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:29
\$31	1	"20060010150" and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:29
S25	0	"20030046311" and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:13
\$30	31	S29 and "707"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:12

S28	287	\$27 and "707"/.cds.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:11
S24	1	"7082428".pn. and (compar \$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:09
S22	16	S21 and (compar\$3 with (query or queries or querying))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:01
S23	2	"20030046311" and index\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:57
\$20	1	"20030101286" and (compar \$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:42
S19	2	"20030046311" and (time\$1 or threshold or pre?set or preset or period\$1 or updat\$3 or timely or periodically or regular\$2)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:13
S18	2	"20040001104" and (time\$1 or threshold or pre?set or preset or period\$1 or updat\$3 or timely or periodically or regular\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:10
S17	1	"20040001104" and list\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:06
S14	2	"20020065800" and (stor\$3 or cach\$3 or sax\$3 or query or result\$1 or off?line or match\$3 or offline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:33
S9	2	"20030055828" and (stor\$3 or cach\$3 or sav\$3 or query or result\$1 or off?line or match\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2006/09/20 17:26

S13	1	"20020103806" and offline	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:19
S12	2	"20020103806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:19
S11	0	"20020103806" and off?ine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:18
S10	1	"20030014399" and off?ine	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:18
S8	2	"20030046311" and (stor\$3 or cach\$3 or sav\$3 or query or result\$1 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2006/09/20 17:02
S7	76	S5 and "707"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 16:18
S6	0	S5 and "707".ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 15:29
S4	225	S3 and (query or queries or querying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 14:10
S1	1770238	computer	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 14:04

4/15/2009 3:32:00 PM

C:\ Documents and Settings\ dmyint\ My Documents\ EAST\ Workspaces\ 10-814-069__1.wsp